



NEWS RELEASE

FOR IMMEDIATE RELEASE:

January 13, 2023

CONTACT:

Michael.claffey@illinois.gov

IDPH Reports 59 Illinois Counties at an Elevated Community Level for COVID-19

Illinoisans Urged to Get Fully Vaccinated for COVID-19 & Flu and to Stay Home and Seek Treatment Immediately if Sick

CHICAGO – The Illinois Department of Public Health (IDPH) announced today that the CDC is reporting 59 counties in the state are at an elevated level for COVID-19, compared to 73 in the previous week. Of those, three Illinois counties are [at a High Community Level](#), compared to 28 the previous week; and 56 counties are at Medium Level, compared to 45 the previous week. IDPH is reporting 16,602 new confirmed and probable cases of COVID-19 in Illinois in the week ending January 8, and 113 deaths.

“I am encouraged to see COVID-19 community levels once again declining and hospital capacity remaining stable this week,” said IDPH Director Dr. Sameer Vohra. “Thank you to all Illinois residents who have continued to protect themselves and their loved ones from infection. IDPH is closely monitoring the XBB ‘Kraken’ variant which is spreading in the northeastern United States and leading to increased cases and hospitalizations. Although we are currently seeing low rates in Illinois at about 8% of clinical samples, it is important for all of us to prepare for and be aware of this emerging variant. Please continue to use all of the tools available to protect yourself and your loved ones from COVID-19, the flu, and other respiratory diseases, especially those most at risk for severe disease.”

Access to tests and treatments can be found at the following [test to treat site](#) or by contacting your provider for [treatment options](#), within 5 days of feeling ill.

IDPH is helping Illinoisans prepare for the fall and winter surge of COVID-19 cases by offering 1 million free COVID-19 rapid antigen tests to Illinois residents in all zip codes outside the City of Chicago through a partnership with the Rockefeller Foundation’s public charity, RF Catalytic Capital and its Project ACT (Access COVID Tests) program.

Through Project ACT, IDPH is distributing up to one million at-home antigen tests to 200,000 Illinois households. You can request one package of five tests on a first-come-first-serve basis at the [Project ACT website](#). The tests will be delivered to the home address.

Free or low cost COVID-19 testing locations are also available throughout the state, including in Chicago, and can be found on the IDPH website’s [testing locator page](#).

Find us on Facebook at [Facebook.com/IDPH.Illinois](https://www.facebook.com/IDPH.Illinois) or follow us on Twitter @IDPH

Nationally Accredited by PHAB



The CDC authorized two new bivalent booster vaccines on September 1 that include an mRNA component of the original strain to provide an immune response that is broadly protective against COVID-19 and an added mRNA component in common between the omicron variant BA.4 and BA.5 lineages to provide better protection against COVID-19 caused by the omicron variant.

Initially, the Moderna COVID-19 Vaccine, Bivalent, was authorized for use as a single booster dose in individuals 18 years of age and older and the Pfizer-BioNTech COVID-19 Vaccine, Bivalent, was authorized for use as a single booster dose in individuals 12 years of age and older. On October 12, the CDC authorized the updated COVID-19 vaccines from Pfizer-BioNTech for children ages 5 through 11 years, and from Moderna for children and adolescents ages 6 through 17 years.

On December 9, the CDC expanded its authorization for bivalent boosters to include children aged 6 months to 5 years. Children ages 6 months through 5 years who previously completed a Moderna primary series can now receive a Moderna bivalent booster 2 months after their final primary series dose. Children ages 6 months through 4 years who are completing a Pfizer primary series will receive a Pfizer bivalent vaccine as their third primary dose.

The updated boosters are available at pharmacies, hospitals, and other healthcare providers. The best way to locate a vaccine provider near you is to visit www.vaccines.gov and search for bivalent booster availability.

Currently, IDPH is reporting a total of 3,997,877 cases, including 35,927 deaths, in 102 counties in Illinois since the beginning of the pandemic.

As of last night, 1,395 individuals in Illinois were reported to be in the hospital with COVID-19. Of those, 169 patients were in the ICU and 62 patients with COVID-19 were on ventilators. The preliminary seven-day statewide case rate is 130 COVID-19 cases per 100,000 Illinoisans.

The CDC recommends the following measures for people in areas that are rated at **High Community Level** for COVID-19 transmission:

- Wear a well-fitting mask indoors in public, regardless of vaccination status (including in K-12 schools and other indoor community settings)
- If you are immunocompromised or [high risk](#) for severe disease
 - Wear a [mask or respirator](#) that provides you with greater protection
 - Consider avoiding non-essential indoor activities in public where you could be exposed
 - Talk to your healthcare provider about whether you need to take other precautions
 - Have a plan for rapid testing if needed (e.g., having home tests or access to testing)
 - IF YOU TEST POSITIVE: Talk to your healthcare provider about whether you are a candidate for treatments like oral antivirals, and monoclonal antibodies
- If you have household or social contact with someone at [high risk](#) for severe disease
 - consider self-testing to detect infection before contact
 - consider wearing a mask when indoors with them
- Stay up to date with COVID-19 vaccines and boosters
- Maintain improved ventilation throughout indoor spaces when possible



NEWS RELEASE

- Follow CDC recommendations for isolation and quarantine, including getting tested if you are exposed to COVID-19 or have symptoms of COVID-19

In counties at the **Medium Community Level**, persons who are elderly or immunocompromised (at risk of severe outcomes) are advised to wear a mask in indoor public places. They should also get up to date on COVID-19 vaccines or get their bivalent booster, if eligible.

IDPH has been supporting pharmacies and healthcare providers in efforts to increase their inventories of the various FDA-authorized treatments. There are [over 1,200 treatment locations](#) in Illinois - including all the major retail pharmacies. More than 96.7% of the state's population is within a 10-mile radius of one of these locations.

A total of 25,827,307 vaccines have been administered in Illinois as of today. The seven-day rolling average of vaccines administered daily is 8,689 doses, including the bivalent booster and first doses. Since January 6, 60,825 vaccine doses were reported administered in Illinois. Of Illinois' total population, more than 78% have received at least one COVID-19 vaccine dose, 71% have completed their primary series of COVID-19 vaccines, and of the eligible population, more than 18% have received the bivalent booster dose, according to [data from the Centers for Disease Control and Prevention](#).

Data indicates that the risk of hospitalization and severe outcomes from COVID-19 is much higher for unvaccinated people than for those who are up to date on their vaccinations. All data are provisional and are subject to change. Additional information and COVID-19 data can be found at <https://dph.illinois.gov/covid19.html>.

Vaccination is the key to ending this pandemic. To find a COVID-19 vaccination location near you, go to www.vaccines.gov. The federal government has established a new website that provides an all-purpose toolkit with information on how to obtain masks, treatment, vaccines and testing resources for all areas of the country at: <https://www.covid.gov/>.

###

